



SURFACE DISINFECTION

BUDENAT® ACUTE D 441

Liquid concentrate for surface disinfection







Fields of application

For disinfection measures according to IfSG (German law on pandemic disease control)

Material compatibility

For all water-resistant materials and floor coverings

Product advantages/properties

- Problem-solver in the event of an epidemic
- Listed by RKI (German Federal Health Institute), effective range AB (bacteria, fungi & viruses)

Efficacy

- Bacteria incl. MRSA, TBC and bacterial spores, yeasts, enveloped & non-enveloped viruses (adeno, noro, polio, polyoma, parvo)
- Tested according to European standards EN 13697, EN 13704, EN 14476, EN 14348

Technical data	
pH-Value	3,5
Product colour	blue
Container*	1 I bottle

^{*} Please note: Some products may not be available in all territories. Please talk to your customer service







BUDENAT® ACUTE D 441

Liquid concentrate for surface disinfection

Application and dosage

RKI-list:

Bacteria, fungi and viruses



Surface disinfection (wiping disinfection)

Concentration	Exposure time	Effective range
7,0 %	240 min.	AB*

Selected dosages and exposure times for surface disinfection:

Bacteria and fungi

Target organisms	Concentration	Exposure time
Bacteria and yeasts (VAH list / EN 13697)	2,0 % 0,5 %	15 min. (H) 60 min. (H)
TBC (EN 14348)	4,0 %	60 min. (L)
Bacterial spores (EN 13704)	2,0 %	30 min. (L)

Viruses

Target organisms	Concentration	Exposure time
Enveloped viruses / limited virucidal activity (RKI/DVV / EN 14476)	2,0 %	60 min. (H)
Non-enveloped viruses / full virucidal activity (RKI/DVV / EN 14476)	2,0 %	60 min. (H)
Specific non-enveloped viruses: noro virus (RKI/DVV / EN 14476)	1,0 % 2,0 %	60 min. (H) 30 min. (H)
Specific non-enveloped viruses: pavova/polyoma virus (RKI/DVV)	1,0 %	60 min. (H)
Specific non-enveloped viruses: parvo virus (RKI germ carrier test)	2,0 %	120 min. (H)

⁽H) Tested under high organic load - values apply also to moderately soiled surfaces

Note

Use biocides safely. Always read the label and product information before use. Employ suitable wet wiping techniques and rinse after drying or after the exposure time. Surfaces that come into contact with food or the skin must always be rinsed with drinking water. Avoid release to the environment. Do not empty the product undiluted into drains. Shelf life after opening: 9 months. A storage temperature of 5 to 25 °C is recommended.

100 g contain: 3.5 g formaldehyde, 9.6 g glyoxal, 2.5 g glutaral, 8.0 g didecyl dimethyl ammonium chloride.

BAUA reg. no. N-57175

Complementary products

Budenat® Intense D 443 - Highly efficient disinfectant cleaner Budenat® Rapid D 444 - Ready-to-use alcoholic rapid disinfectant Budenat® Alkasept D 445 - High-alkaline disinfectant cleaner

Budenat® LM D 447 - Neutral disinfectant

Budenat® Azid Plus D 587 - Acid disinfectant cleaner

Budenat® Protect Hand D 807 - Ready-to-use alcoholic hand disinfectant Budenat® Rapid Wipes D 444 - Alcoholic wipes for fast disinfection

Hazard statements

EUH071	Corrosive to the respiratory tract.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H332	Harmful if inhaled.	
H334	May cause allergy or asthma symptoms or breathing difficulties if	
	inhaled.	
H335	May cause respiratory irritation.	
H341	Suspected of causing genetic defects.	
H350	May cause cancer.	
H410	Very toxic to aquatic life with long lasting effects.	
For further safety precautions, please refer to the safety data sheet for		

For further safety precautions, please refer to the safety data sheet for Budenat® Acute D 441 at www.buzil.com.

GISBAU code: GD 80

Article number*: D441-0001EN

The data in our product information sheets are based on our experience and careful investigations, and correspond to our present state of knowledge. We are, however, not able to examine and influence in detail the varying conditions for usage and materials, and those at premises where products are to be used. For this reason, we can only provide general information on usage. The quality of the work depends on expert assessment of the premises where products are to be used and how they are in fact employed by the user. In the case of doubt, the latter is obliged at all times to test the compatibility of the material to be treated with the Buzil product on an inconspicuous area or to obtain relevant advice on application technology. Liability for incomplete or incorrect data in our product information sheets shall only be assumed in cases of negligence caused by gross negligence or intent; any claims arising from the Product Liability Act shall remain unaffected. All previous product information shall lose its validity through the above listed product information.

⁽L) Tested under low organic load - values apply to pre-cleaned surfaces only

Please note: Some products may not be available in all territories. Please talk to your customer service representative.