




BUDENAT® INTENSE D 443

Highly efficient disinfectant cleaner



Fields of application

- For water-resistant surfaces and floor coverings
- Ideal for use in care and nursing homes, schools, nursery schools, hospitals as well as kitchens and food preparation areas
- Can be used in all wet areas, sanitary facilities and for swimming pool cleaning

Material compatibility

- Suitable for hard, water-resistant surfaces and floor coverings (it is recommend to test the compatibility with the application solution in a small inconspicuous spot before initial use)

Product advantages/properties

- Cleaning and disinfection in one step
- Low dosage
- Acts quickly
- Even with high bacterial load
- VAH- and IHO-listed
- Aldehyde-free
- QAC-free
- Broad spectrum of activity

Efficacy

- Bacteria incl. MRSA and TBC, yeasts, enveloped viruses (limited virucidal activity)
- Tested according to European standards EN 13697, EN 14348, EN 14476

Technical data	
pH-Value	10
Product colour	colourless to pale yellowish
Container*	1 l bottle 10 l canister

* Please note: Some products may not be available in all territories. Please talk to your customer service representative.






DISINFECTANT CLEANER

BUDENAT® INTENSE D 443

Highly efficient disinfectant cleaner

Application and dosage

First, remove coarse dirt from the surface. Then we recommend using suitable wet-wiping techniques. Allow to dry or rinse off after the exposure time.



Selected dosages and exposure times for surface disinfection:

Bacteria and fungi

Target organisms	Concentration	Exposure time
Bacteria & yeasts (VAH list / EN 13697)	5,0 %	5 min. (H)
Listeria & salmonella (EN 13697)	1,5 %	5 min. (H)
TBC (EN 14348)	1,0 % 2,0 %	60 min. (L) 60 min. (H)

Viruses

Target organisms	Concentration	Exposure time
Enveloped viruses/virucidal against enveloped viruses (RKI/DVV / EN 14476)	2,0 %	15 min. (H)

(H) Tested under high organic load - values apply also to moderately soiled surfaces

(L) Tested under low organic load - values apply to pre-cleaned surfaces only

Note

Use biocides safely. Always read the label and product information before use. Surfaces that come into contact with food or the skin must be rinsed with drinking water after disinfection. Absorb product which has been accidentally spilled with a liquid-binding material (sand, diatomaceous earth, universal binding agent). Do not let product enter the sewer system or bodies of water undiluted. Once packaging is completely empty, rinse out twice with water and recycle. Shelf life after opening: 9 months. A storage temperature of 5 to 25 °C is recommended.

100 g contain: 7.5 g Bis (3-aminopropyl) dodecylamine.
BAUA reg. no. N-57161, N-57162

Complementary products

Budenat® Acute D 441 - Liquid concentrate for surface disinfection
Budenat® Rapid D 444 - Ready-to-use alcoholic rapid disinfectant
Budenat® Alkasept D 445 - High-alkaline disinfectant cleaner
Budenat® LM D 447 - Neutral disinfectant
Budenat® Azid Plus D 587 - Acid disinfectant cleaner
Budenat® Protect Hand D 807 - Ready-to-use alcoholic hand disinfectant
Budenat® Rapid Wipes D 444 - Alcoholic wipes for fast disinfection

Hazard statements

H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

For further safety precautions, please refer to the safety data sheet for Budenat® Intense D 443 at www.buzil.com.

GISBAU code: GD 40

Article number*:
D443-0001R3
D443-0010R3

* Please note: Some products may not be available in all territories. Please talk to your customer service representative.

The data in our product information sheets are based on our experience and careful investigations, and correspond to our present state of knowledge. We are, however, not able to examine and influence in detail the varying conditions for usage and materials, and those at premises where products are to be used. For this reason, we can only provide general information on usage. The quality of the work depends on expert assessment of the premises where products are to be used and how they are in fact employed by the user. In the case of doubt, the latter is obliged at all times to test the compatibility of the material to be treated with the Buzil product on an inconspicuous area or to obtain relevant advice on application technology. Liability for incomplete or incorrect data in our product information sheets shall only be assumed in cases of negligence caused by gross negligence or intent; any claims arising from the Product Liability Act shall remain unaffected. All previous product information shall lose its validity through the above listed product information.

Date 14.11.2019

BUZIL-WERK Wagner GmbH & Co. KG

Fraunhoferstraße 17 . D-87700 Memmingen T +49 8331 930-6 . F +49 8331 930-880 . E-mail: info@buzil.de . www.buzil.com