

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BUDENAT® AZID PLUS

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Disinfectant cleaner, based on quaternary ammonium compounds, corrosive
Process categories [PROC]: 8, 10

1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG
Street: Fraunhofer Str. 17
Place: D-87700 Memmingen
Telephone: +49 (0) 8331 930-6
e-mail: info@buzil.de
Internet: www.buzil.com
Telefax: +49 (0) 8331 930-880

1.4. Emergency telephone number: +49 (0) 8331 / 930-730

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:
Substance or mixture corrosive to metals: Met. Corr. 1
Skin corrosion/irritation: Skin Corr. 1B
Hazardous to the aquatic environment: Aquatic Acute 1
Hazardous to the aquatic environment: Aquatic Chronic 2
Hazard Statements:
May be corrosive to metals.
Causes severe skin burns and eye damage.
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

methanesulphonic acid, alkyldimethylbenzylammonium chloride.

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 2 of 11

- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P501 Dispose of contents/containers in accordance with local and national regulations.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Quantity		
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
75-75-2	methanesulphonic acid			5 - < 10 %
	200-898-6	607-145-00-4	01-2119491166-34	
	Met. Corr. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3; H290 H302 H312 H314 H335			
68424-85-1	alkyldimethylbenzylammonium chloride			1 - < 5 %
	270-325-2			
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H302 H314 H400 H410			
7173-51-5	didecyldimethylammonium chloride			1 - < 5 %
	230-525-2	612-131-00-6		
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 2; H302 H314 H400 H411			
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol			1 - < 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % cationic surfactants, perfumes (Hexyl cinnamal).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 3 of 11

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet
alcohol resistant foam
Carbon dioxide
Extinguishing powder

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:
Carbon dioxide
Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.
Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes.
Do not mix with other chemicals.
Use personal protection equipment.
When using do not eat, drink or smoke.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 4 of 11

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

There are no data available on the mixture itself.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

PNEC values

CAS No	Substance	Value
75-75-2	methanesulphonic acid	
	Freshwater	0,012 mg/l
	Marine water	0,0012 mg/l

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing.
Wash hands before breaks and after work.
When using do not eat, drink or smoke.

Eye/face protection

Wear eye protection/face protection. (EN 166)

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.
Suitable material: NBR (Nitrile rubber).
Breakthrough time (maximum wearing time) >480 min.
A survey of suitable brands with detailed information on breakthrough times is available upon request.

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respiratory protection necessary.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 5 of 11

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:		
Odour:	Perfumes, fragrances	
		Test method
pH-Value (at 20 °C):		0 - 0,5
Changes in the physical state		
Melting point:		approx. 0 °C
Initial boiling point and boiling range:		approx. 100 °C
Flash point:		> 60 °C
Flammability		
Solid:		not applicable
Gas:		not applicable
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Auto-ignition temperature		
Solid:		not applicable
Gas:		not applicable
Decomposition temperature:		not determined
Oxidizing properties		
Not oxidising.		
Vapour pressure:		not determined
Density (at 25 °C):		1,03 g/cm ³
Water solubility:		completely miscible
Solubility in other solvents		
not determined		
Partition coefficient:		not determined
Viscosity / dynamic: (at 25 °C)		< 10 mPa·s
Vapour density:		not determined
Evaporation rate:		not determined
9.2. Other information		
Solid content:		not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Exothermic reaction with: Alkali (lye)

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 6 of 11

10.3. Possibility of hazardous reactions

Exothermic reaction with: Alkali (lye)

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Alkali (lye)

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
75-75-2	methanesulphonic acid				
	oral	LD50 mg/kg 649	Rat		
	dermal	LD50 mg/kg 1100	Rat	ATE	
68424-85-1	alkyldimethylbenzylammonium chloride				
	oral	LD50 mg/kg 344	Rat		
	dermal	LD50 mg/kg 3340	Rabbit		
	inhalative aerosol	LC50 >5 mg/l	Rat	ATE	
7173-51-5	didecyldimethylammonium chloride				
	oral	LD50 mg/kg 238	Rat		
	dermal	LD50 mg/kg 3342	Rabbit		
	inhalative aerosol	LC50 >5 mg/l	Rat	ATE	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
	oral	LD50 mg/kg >2000	Rat	ATE	
	dermal	LD50 mg/kg >2000	Rat	ATE	
	inhalative vapour	LC50 >20 mg/l	Rat	ATE	

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 7 of 11

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
75-75-2	methanesulphonic acid					
	Acute fish toxicity	LC50 mg/l	10 - 100	96 h	Oncorhynchus mykiss (Rainbow trout)	OECD 203
	Acute algae toxicity	ErC50 mg/l	10 - 100		Selenastrum capricornutum	OECD 201
	Acute crustacea toxicity	EC50 mg/l	10 - 100	48 h	Daphnia magna (Big water flea)	OECD 202
68424-85-1	alkyldimethylbenzylammonium chloride					
	Acute fish toxicity	LC50 mg/l	0,28	96 h	Pimephales promelas (fathead minnow)	
	Acute algae toxicity	ErC50 mg/l	0,049		Pseudokirchneriella subcapitata	OECD 201
	Acute crustacea toxicity	EC50 mg/l	0,016	48 h	Daphnia magna (Big water flea)	OECD 202
7173-51-5	didecyldimethylammonium chloride					
	Acute fish toxicity	LC50 mg/l	0,19	96 h	Pimephales promelas (fathead minnow)	
	Acute algae toxicity	ErC50 mg/l	0,026		Pseudokirchneriella subcapitata	
	Acute crustacea toxicity	EC50 mg/l	0,062	48 h	Daphnia magna (Big water flea)	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol					
	Acute fish toxicity	LC50 mg/l	> 1000	96 h		
	Acute crustacea toxicity	EC50 mg/l	> 1000	48 h		

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 8 of 11

CAS No	Chemical name	Method	Value	d	Source
		Evaluation			
75-75-2	methanesulphonic acid				
		OECD 301A/ ISO 7827/ EEC 92/69/V, C.4-A	> 70%		
	Readily biodegradable (according to OECD criteria).				
68424-85-1	alkyldimethylbenzylammonium chloride				
		OECD 301	>70%	28	
	Readily biodegradable (according to OECD criteria).				
7173-51-5	didecyldimethylammonium chloride				
		OECD 301	>70%	28	
	Readily biodegradable (according to OECD criteria).				
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol				
		OECD 301	>60%	28	
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
75-75-2	methanesulphonic acid	-2,38
68424-85-1	alkyldimethylbenzylammonium chloride	<3

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 9 of 11

Land transport (ADR/RID)

14.1. UN number:	UN 1903
14.2. UN proper shipping name:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C9
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	80
Tunnel restriction code:	E

Inland waterways transport (ADN)

14.1. UN number:	UN 1903
14.2. UN proper shipping name:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Classification code:	C9
Special Provisions:	274
Limited quantity:	5 L
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number:	UN 1903
14.2. UN proper shipping name:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	223, 274
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	UN 1903
14.2. UN proper shipping name:	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (quaternary nitrogen compounds)
14.3. Transport hazard class(es):	8
14.4. Packing group:	III
Hazard label:	8
Special Provisions:	A3 A803
Limited quantity Passenger:	1 L
Passenger LQ:	Y841
Excepted quantity:	E1
IATA-packing instructions - Passenger:	852
IATA-max. quantity - Passenger:	5 L

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 10 of 11

IATA-packing instructions - Cargo: 856

IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

14.6. Special precautions for user

No special measures are necessary.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2010/75/EU (VOC): < 30%

Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)

National regulatory information

Water contaminating class (D): 2 - water contaminating

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

Safety Data Sheet



according to Regulation (EC) No 1907/2006

BUDENAT® AZID PLUS

Revision date: 04.08.2017

D587

Page 11 of 11

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection.

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)