

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## BUZ® LAUNDRY STRONG

Revision date: 04.08.2017

L831

Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

BUZ® LAUNDRY STRONG

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Washing and cleaning products (including solvent based products)

Process categories [PROC]: 1, 2, 8, 9

#### 1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17

Place: D-87700 Memmingen

Telephone: +49 (0) 8331 930-6

Telefax: +49 (0) 8331 930-880

e-mail: info@buzil.de

Internet: www.buzil.com

1.4. Emergency telephone number: +49 (0) 8331 / 930-730

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1B

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

##### Hazard components for labelling

caustic potash, potassium hydroxide

Signal word: Danger

Pictograms:



##### Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

##### Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## BUZ® LAUNDRY STRONG

Revision date: 04.08.2017

L831

Page 2 of 8

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
1312-76-1	potassium silicate			50 - < 55 %
	215-199-1		01-2119456888-17	
	Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H314 H318 H335			

Full text of H and EUH statements: see section 16.

#### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % phosphonates, < 5 % polycarboxylates.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet  
alcohol resistant foam  
Carbon dioxide  
Extinguishing powder

#### Unsuitable extinguishing media

High power water jet

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## BUZ® LAUNDRY STRONG

Revision date: 04.08.2017

L831

Page 3 of 8

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide  
Carbon monoxide

### 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment.  
Avoid contact with skin, eyes and clothes.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.  
Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Personal protection equipment: see section 8  
Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes.  
Do not mix with other chemicals.  
Use personal protection equipment.  
When using do not eat, drink or smoke.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Advice on storage compatibility

No special measures are necessary.

### 7.3. Specific end use(s)

There are no data available on the mixture itself.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

### 8.2. Exposure controls

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## BUZ® LAUNDRY STRONG

Revision date: 04.08.2017

L831

Page 4 of 8

### Protective and hygiene measures

Take off contaminated clothing.  
Wash hands before breaks and after work.  
When using do not eat, drink or smoke.

### Eye/face protection

Wear eye protection/face protection. (EN 166)

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.  
Suitable material: NBR (Nitrile rubber).  
Breakthrough time (maximum wearing time) >480 min.  
A survey of suitable brands with detailed information on breakthrough times is available upon request.

### Skin protection

Wear suitable work clothing.

### Respiratory protection

Usually no personal respirative protection necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid  
Colour:  
Odour: characteristic

pH-Value (at 20 °C): 13,0 - 14,0

#### Changes in the physical state

Melting point: approx. 0 °C  
Initial boiling point and boiling range: approx. 100 °C  
Flash point: not applicable

#### Flammability

Solid: not applicable  
Gas: not applicable

Lower explosion limits: not determined  
Upper explosion limits: not determined

#### Auto-ignition temperature

Solid: not applicable  
Gas: not applicable

Decomposition temperature: not determined

#### Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 25 °C): 1,24 g/cm<sup>3</sup>

Water solubility: completely miscible

#### Solubility in other solvents

not determined

Partition coefficient: not determined

#### Test method

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## BUZ® LAUNDRY STRONG

Revision date: 04.08.2017

L831

Page 5 of 8

Viscosity / dynamic:  
(at 25 °C) <10 mPa·s

Vapour density: not determined

Evaporation rate: not determined

### 9.2. Other information

Solid content: not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Exothermic reaction with: Acid

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid

### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

### 10.5. Incompatible materials

Acid

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1312-76-1	potassium silicate				
	oral	LD50 >2000 mg/kg	Rat	ATE	
	dermal	LD50 >2000 mg/kg	Rat	ATE	
	inhalative aerosol	LC50 >5 mg/l	Rat	ATE	

#### Irritation and corrosivity

Causes severe skin burns and eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## BUZ® LAUNDRY STRONG

Revision date: 04.08.2017

L831

Page 6 of 8

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

CAS No	Chemical name	Dose	[h]   [d]	Species	Source	Method
1312-76-1	potassium silicate					
	Acute fish toxicity	LC50 >1 mg/l	96 h			
	Acute algae toxicity	ErC50 >1 mg/l				
	Acute crustacea toxicity	EC50 >1 mg/l	48 h			

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

#### Waste disposal number of waste from residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors  
Classified as hazardous waste.

#### Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

#### Contaminated packaging

Non-contaminated packages may be recycled.

## SECTION 14: Transport information

### Land transport (ADR/RID)

- 14.1. UN number: UN 1814  
14.2. UN proper shipping name: POTASSIUM HYDROXIDE SOLUTION  
14.3. Transport hazard class(es): 8

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## BUZ® LAUNDRY STRONG

Revision date: 04.08.2017

L831

Page 7 of 8

**14.4. Packing group:** III  
Hazard label: 8  
Classification code: C5  
Limited quantity: 5 L  
Transport category: 3  
Hazard No: 80  
Tunnel restriction code: E

### Inland waterways transport (ADN)

**14.1. UN number:** UN 1814  
**14.2. UN proper shipping name:** POTASSIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8  
Classification code: C5  
Limited quantity: 5 L

### Marine transport (IMDG)

**14.1. UN number:** UN 1814  
**14.2. UN proper shipping name:** POTASSIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8  
Special Provisions: 223  
Limited quantity: 5 L  
EmS: F-A, S-B

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1814  
**14.2. UN proper shipping name:** POTASSIUM HYDROXIDE SOLUTION  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** III  
Hazard label: 8  
Special Provisions: A3 A803  
Limited quantity Passenger: 1 L  
IATA-packing instructions - Passenger: 852  
IATA-max. quantity - Passenger: 5 L  
IATA-packing instructions - Cargo: 856  
IATA-max. quantity - Cargo: 60 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No special measures are necessary.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

# Safety Data Sheet



according to Regulation (EC) No 1907/2006

## BUZ® LAUNDRY STRONG

Revision date: 04.08.2017

L831

Page 8 of 8

2010/75/EU (VOC): <30%

### Additional information

Regulation (EC) No. 648/2004 (Detergents regulation)

### National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or preparation into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection.

### Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*