according to Regulation (EC) No 1907/2006



#### Indumaster® Protect

Revision date: 28.11.2024 IR30 Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Indumaster® Protect

UFI: WVW0-70QY-M00J-3EW2

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

EuPCS: PC-CLN-2 All-purpose (or multi-purpose) non-abrasive cleaners including degreasing agents (unless

otherwise specified in other subcategories of cleaning products)

Process categories [PROC]: 8, 10, 11 Restricted to professional users.

## 1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17
Place: D-87700 Memmingen

Telephone: +49 (0) 8331 930-6 Telefax: +49 (0) 8331 930-880

E-mail: info@buzil.de
Contact person: info@buzil.de
Internet: www.buzil.com

**1.4. Emergency telephone** +49 (0) 8331 930-6 (08:00 - 16:00 h)

number:

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## 2.2. Label elements

## Regulation (EC) No 1272/2008

## Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.


## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

### **Hazardous components**

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (Regulation (EC) No	Classification (Regulation (EC) No 1272/2008)			
112-34-5	2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether				
	203-961-6	603-096-00-8	01-2119475104-44		
	Eye Irrit. 2; H319				
1569-02-4	2-4 1-Ethoxy-2-propanol			1 - < 5 %	
	216-374-5	603-177-00-8	01-2119462792-32		
	Flam. Liq. 3, STOT SE 3; H226 H336				

Full text of H and EUH statements: see section 16.



# Indumaster® Protect

**IR30** Revision date: 28.11.2024 Page 2 of 9

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity	
	Specific Conc. Limits, M-factors and ATE			
112-34-5	203-961-6	203-961-6 2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether		
	dermal: LD50 = 4120 mg/kg; oral: LD50 = 5660 mg/kg			
1569-02-4	216-374-5 1-Ethoxy-2-propanol		1 - < 5 %	
	inhalation: LC50 = > 10000 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg			

### Labelling for contents according to Regulation (EC) No 648/2004

< 5 % anionic surfactants, < 5 % non-ionic surfactants, perfumes.

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air.

#### After contact with skin

Take off contaminated clothing and wash it before reuse.

### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

## After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

### Suitable extinguishing media

Water spray jet

alcohol resistant foam

Carbon dioxide

Extinguishing powder

## Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide

Carbon monoxide

## 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

## Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

according to Regulation (EC) No 1907/2006



#### Indumaster® Protect

Revision date: 28.11.2024 IR30 Page 3 of 9

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

### For non-emergency personnel

Ventilate affected area.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Collect in closed and suitable containers for disposal.

Ventilate affected area.

#### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

# SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes.

Do not mix with other chemicals.

Use personal protection equipment.

When using do not eat, drink or smoke.

Do not breathe gas/fumes/vapour/spray.

Use only in well-ventilated areas.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat or drink.

## Further information on handling

No further relevant information available.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed.

### Hints on joint storage

No special measures are necessary.

## Further information on storage conditions

No further relevant information available.

## 7.3. Specific end use(s)

Cleaning agent

according to Regulation (EC) No 1907/2006



### Indumaster® Protect

Revision date: 28.11.2024 IR30 Page 4 of 9

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	
		15	101.2		STEL (15 min)	

#### Additional advice on limit values

No information available.

### 8.2. Exposure controls



#### Appropriate engineering controls

No information available.

## Individual protection measures, such as personal protective equipment

### Eye/face protection

Eye protection: not required.

### **Hand protection**

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

### Skin protection

Wear suitable work clothing.

#### Respiratory protection

Use only in well-ventilated areas.

In case of inadequate ventilation wear respiratory protection. (EN 14387, A1)

#### Thermal hazards

No further relevant information available.

#### **Environmental exposure controls**

Section 6: Accidental Release Measures

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: blue

Odour: Perfumes, fragrances

Test method

Melting point/freezing point: approx. 0 °C Boiling point or initial boiling point and approx. 100 °C

boiling range:

Flammability: not applicable

according to Regulation (EC) No 1907/2006



#### Indumaster® Protect

Revision date: 28.11.2024 IR30 Page 5 of 9

Lower explosion limits:not determinedUpper explosion limits:not determinedFlash point:> 60 °CAuto-ignition temperature:not determinedDecomposition temperature:not applicablepH-Value (at 20 °C):9,3 - 10,3Viscosity / kinematic:not determined

(at 40 °C)

Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative density:

Relative vapour density:

Relative vapour density:

Particle characteristics:

not applicable

not determined

not determined

not determined

not relevant

#### 9.2. Other information

### Other safety characteristics

Viscosity / dynamic: < 10 mPa·s 50 1/s

(at 25 °C)

No information available.

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

#### 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Based on available data, the classification criteria are not met.

## **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

### Indumaster® Protect

Revision date: 28.11.2024 IR30 Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
112-34-5	2-(2-Butoxyethoxy)ethan	2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether				
	oral	LD50 mg/kg	5660	Rat		
	dermal	LD50 mg/kg	4120	Rabbit		
1569-02-4	1-Ethoxy-2-propanol					
	oral	LD50 mg/kg	> 5000	Rat		
	dermal	LD50 mg/kg	> 5000	Rabbit		
	inhalation (4 h) vapour	LC50 mg/l	> 10000	Rat		

### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## Other information

No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
112-34-5	2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether						
	Acute algae toxicity	ErC50 mg/l	> 100		Scenedesmus sp.		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna		
1569-02-4	1-Ethoxy-2-propanol						
	Acute fish toxicity	LC50 10,0 mg/l	4,6 -		Leuciscus idus (golden orfe)		DIN 38412
	Acute crustacea toxicity	EC50 25,9 mg/l	21,1 -		Daphnia magna (Big water flea)		

according to Regulation (EC) No 1907/2006



#### Indumaster® Protect

Revision date: 28.11.2024 IR30 Page 7 of 9

#### 12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

#### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-Butoxyethoxy)ethanol, Diethylene glycol monobutyl ether	0,56 (25°C)
1569-02-4	1-Ethoxy-2-propanol	1,46

### **BCF**

CAS No	Chemical name	BCF	Species	Source
1569-02-4	1-Ethoxy-2-propanol	3,16		

## 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

## List of Wastes Code - residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

## List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

## Contaminated packaging

Non-contaminated packages may be recycled.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

## Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

according to Regulation (EC) No 1907/2006



#### Indumaster® Protect

Revision date: 28.11.2024 IR30 Page 8 of 9

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No special measures are necessary.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 40, Entry 55, Entry 75

Directive 2010/75/EU on industrial 3,1 %

emissions:

### **Additional information**

Regulation (EC) No. 648/2004 [Detergents regulation]

## National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 1,7,8,15.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.



Print date: 28.11.2024

according to Regulation (EC) No 1907/2006

#### Indumaster® Protect

Revision date: 28.11.2024 IR30 Page 9 of 9

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

#### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.
 EUH210 Safety data sheet available on request.

#### **Further Information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)