

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Bucasan® Trendy

T464

Revision date: 19.01.2024

Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Bucasan® Trendy

UFI: 9CC0-Y0X0-400K-4T0W

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

EuPCS: PC-CLN-11.1 Bathroom cleaners, PC-CLN-11.2 Toilet cleaners

Process categories [PROC]: 8, 10

Restricted to professional users.

1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17

Place: D-87700 Memmingen

Telephone: +49 (0) 8331 930-6

Telefax: +49 (0) 8331 930-880

e-mail: info@buzil.de

Contact person: info@buzil.de

Internet: www.buzil.com

1.4. Emergency telephone number: +49 (0) 8331 930-6 (08:00 - 16:00 h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Met. Corr. 1; H290

Skin Corr. 1; H314

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Sulfamic acid

Signal word: Danger

Pictograms:



Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Bucasan® Trendy

T464

Revision date: 19.01.2024

Page 2 of 10

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
5329-14-6	Sulfamic acid			10 - < 15 %
	226-218-8	016-026-00-0	01-2119488633-28	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412			
26183-52-8	Decan-1-ol, ethoxylated			1 - < 5 %
	Acute Tox. 4, Eye Dam. 1; H302 H318			
34590-94-8	1-(Methoxymethylethoxy)-propanol(2)			1 - < 5 %
	252-104-2		01-2119450011-60	

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
5329-14-6	226-218-8	Sulfamic acid	10 - < 15 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = 3160 mg/kg	
26183-52-8		Decan-1-ol, ethoxylated	1 - < 5 %
		dermal: LD50 = > 2000 mg/kg; oral: LD50 = 500 mg/kg Eye Dam. 1; H318: >= 20 - 100	
34590-94-8	252-104-2	1-(Methoxymethylethoxy)-propanol(2)	1 - < 5 %
		dermal: LD50 = 9510 mg/kg; oral: LD50 = > 5000 mg/kg	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, perfumes (Benzyl salicylate, Hexyl cinnamal).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Bucasan® Trendy

T464

Revision date: 19.01.2024

Page 3 of 10

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet
alcohol resistant foam
Carbon dioxide
Extinguishing powder

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:
Carbon dioxide
Carbon monoxide

5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use personal protection equipment.
Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Ventilate affected area.

For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.
Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

Other information

Collect in closed and suitable containers for disposal.
Ventilate affected area.

6.4. Reference to other sections

Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes and clothes.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Bucasan® Trendy

T464

Revision date: 19.01.2024

Page 4 of 10

Do not mix with other chemicals.
Use personal protection equipment.
When using do not eat, drink or smoke.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing.
Wash hands before breaks and after work.
When using do not eat, drink or smoke.

Further information on handling

Absorb spillage to prevent material damage.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.
Keep/Store only in original container.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

No further relevant information available.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m ³	fib/cm ³	Category	Origin
34590-94-8	(2-Methoxymethylethoxy)propanol	50	308		TWA (8 h)	

Additional advice on limit values

No information available.

8.2. Exposure controls



Appropriate engineering controls

No information available.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Wear suitable gloves. (EN 374, Category III)
When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.
Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Bucasan® Trendy

T464

Revision date: 19.01.2024

Page 5 of 10

work are implemented (e. g. application of suitable skin protecting creams).

Skin protection

Wear suitable work clothing.

Respiratory protection

Usually no personal respirative protection necessary.

Thermal hazards

No further relevant information available.

Environmental exposure controls

Section 6: Accidental Release Measures

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	red
Odour:	Perfumes, fragrances

Test method

Melting point/freezing point:	approx. 0 °C
Boiling point or initial boiling point and boiling range:	approx. 100 °C
Flammability:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not applicable
Auto-ignition temperature:	not determined
Decomposition temperature:	not applicable
pH-Value (at 20 °C):	0 - 1,0
Viscosity / kinematic: (at 40 °C)	not determined
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not applicable
Vapour pressure:	not determined
Density (at 20 °C):	1,07 g/cm ³
Relative density:	not determined
Relative vapour density:	not determined
Particle characteristics:	not relevant

9.2. Other information

Other safety characteristics

Viscosity / dynamic: (at 25 °C)	< 10 mPa·s (50 1/s)
------------------------------------	---------------------

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Corrosive to metals.

Exothermic reaction with: Alkali (lye)

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Bucasan® Trendy

T464

Revision date: 19.01.2024

Page 6 of 10

10.3. Possibility of hazardous reactions

Corrosive to metals.
Exothermic reaction with: Alkali (lye)

10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

10.5. Incompatible materials

Corrosive to metals.
Alkali (lye)

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
5329-14-6	Sulfamic acid				
	oral	LD50 3160 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat		OECD 402
26183-52-8	Decan-1-ol, ethoxylated				
	oral	LD50 500 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat		
34590-94-8	1-(Methoxymethylethoxy)-propanol(2)				
	oral	LD50 > 5000 mg/kg	Rat		OECD 401
	dermal	LD50 9510 mg/kg	Rabbit		OECD 402

Irritation and corrosivity

Causes severe skin burns and eye damage.
Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Bucasan® Trendy

T464

Revision date: 19.01.2024

Page 7 of 10

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
5329-14-6	Sulfamic acid					
	Acute fish toxicity	LC50 70,3 mg/l	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 48 mg/l	72 h			OECD 201
26183-52-8	Decan-1-ol, ethoxylated					
	Acute algae toxicity	ErC50 19,6 mg/l	72 h			OECD 201
	Acute crustacea toxicity	EC50 15,0 mg/l	48 h			OECD 202
34590-94-8	1-(Methoxymethylethoxy)-propanol(2)					
	Acute fish toxicity	LC50 10000 mg/l	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 969 mg/l	96 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 1919 mg/l	48 h	Daphnia magna (Big water flea)		OECD 202
	Crustacea toxicity	NOEC 0,5 mg/l	22 d	Daphnia magna (Big water flea)		OECD 211

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
26183-52-8	Decan-1-ol, ethoxylated			
	OECD 301 B	> 60 %	28	
	Readily biodegradable (according to OECD criteria).			
34590-94-8	1-(Methoxymethylethoxy)-propanol(2)			
	OECD 301 F	> 60 %	28	
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
34590-94-8	1-(Methoxymethylethoxy)-propanol(2)	0,004

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Bucasan® Trendy

T464

Revision date: 19.01.2024

Page 8 of 10

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

UN 3264

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulphamic acid)

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Classification code:

C1

Special Provisions:

274

Limited quantity:

5 L

Transport category:

3

Hazard No:

80

Tunnel restriction code:

E

Inland waterways transport (ADN)

14.1. UN number or ID number:

UN 3264

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Sulphamic acid)

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Classification code:

C1

Special Provisions:

274

Limited quantity:

5 L

Marine transport (IMDG)

14.1. UN number or ID number:

UN 3264

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulfamic acid)

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Bucasan® Trendy

T464

Revision date: 19.01.2024

Page 9 of 10

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Marine pollutant:

no

Special Provisions:

223, 274

Limited quantity:

5 L

EmS:

F-A, S-B

Segregation group:

1 - acids

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:

UN 3264

14.2. UN proper shipping name:

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (sulfamic acid)

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Special Provisions:

A3 A803

Limited quantity Passenger:

1 L

IATA-packing instructions - Passenger:

852

IATA-max. quantity - Passenger:

5 L

IATA-packing instructions - Cargo:

856

IATA-max. quantity - Cargo:

60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

14.6. Special precautions for user

No special measures are necessary.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC):

1,1 %

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation]

National regulatory information

Water hazard class (D):

1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Bucasan® Trendy

T464

Revision date: 19.01.2024

Page 10 of 10

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

Relevant H and EUH statements (number and full text)

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Further Information

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9 (1)

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)