



Telefax: +49 (0) 8331 930-880

# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 1 of 13

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Indumaster® Step

UFI: 0J60-N08R-Y00V-3PD9

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

EuPCS: PC-CLN-2 All-purpose (or multi-purpose) non-abrasive cleaners including degreasing agents (unless otherwise specified in other subcategories of cleaning products)

Process categories [PROC]: 8, 10, 11

## 1.3. Details of the supplier of the safety data sheet

Company name: BUZIL-WERK Wagner GmbH & Co. KG

Street: Fraunhofer Str. 17
Place: D-87700 Memmingen
Telephone: +49 (0) 8331 930-6

E-mail: info@buzil.de
Contact person: info@buzil.de
Internet: www.buzil.com

**1.4. Emergency telephone** +49 (0) 8331 930-6 (08:00 - 16:00 h)

number:

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

The product does not support combustion. It therefore needs not to be classified as flammable despite a flash point below 60 °C.

#### 2.2. Label elements

## Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



#### **Hazard statements**

H319 Causes serious eye irritation.

## **Precautionary statements**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

### Special labelling of certain mixtures

EUH208 Contains 1,2-Benzisothiazol-3(2H)-one, 2-Octyl-2H-isothiazol-3-one and Benzyl alcohol.

May produce an allergic reaction.

# 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

according to Regulation (EC) No 1907/2006



# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 2 of 13

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

# **Hazardous components**

CAS No	Chemical name						
	EC No	Index No	REACH No				
	Classification (Regulation (EC) No	1272/2008)					
7320-34-5	Tetrapotassium pyrophosphate			5 - < 10 %			
	230-785-7		01-2119489369-18				
	Eye Irrit. 2; H319						
64-17-5	Ethanol			1 - < 5 %			
	200-578-6	603-002-00-5	01-2119457610-43				
	Flam. Liq. 2, Eye Irrit. 2; H225 H31	19					
97862-59-4	1-Propanaminium, 3-amino-N-(car	boxymethyl)-N,N-dimethyl-,	N-C8-18 acyl derivs., inner salts	1 - < 5 %			
	931-296-8		01-2119488533-30				
	Eye Dam. 1, Aquatic Chronic 3; H	Eye Dam. 1, Aquatic Chronic 3; H318 H412					
122-99-6	2-Phenoxyethanol		1 - < 5 %				
	204-589-7	603-098-00-9	01-2119488943-21				
	Acute Tox. 4, Eye Dam. 1, STOT S						
308062-28-4	Amines, C12-14 (even numbered)	< 1 %					
	931-292-6		01-2119490061-47				
	Acute Tox. 4, Skin Irrit. 2, Eye Dar						
100-51-6	Benzyl alcohol	< 1 %					
	202-859-9	603-057-00-5	01-2119492630-38				
	Acute Tox. 4, Acute Tox. 4, Eye Irr						
2634-33-5	1,2-Benzisothiazol-3(2H)-one	< 0,010 %					
	220-120-9						
	Acute Tox. 4, Skin Irrit. 2, Eye Dan H400						
26530-20-1	2-Octyl-2H-isothiazol-3-one	< 0,0015 %					
	247-761-7	613-112-00-5					
	Acute Tox. 2, Acute Tox. 3, Acute 1, Aquatic Chronic 1; H330 H311 I						

Full text of H and EUH statements: see section 16.





# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 3 of 13

Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical r	ame	Quantity	
	Specific Conc. Limits, M-fac	ctors and ATE		
7320-34-5	230-785-7 Tetrapotas	sium pyrophosphate	5 - < 10 %	
	dermal: LD50 = > 7940 mg	/kg; oral: LD50 = > 2000 mg/kg		
64-17-5	200-578-6 Ethanol		1 - < 5 %	
	inhalation: LC50 = 95,6 mg	/l (vapours); oral: LD50 = 6200 mg/kg		
97862-59-4	931-296-8 1-Propana inner salts	minium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs.,	1 - < 5 %	
	dermal: LD50 = > 620 mg/l Irrit. 2; H319: >= 4 - < 10	kg; oral: LD50 = 2335 mg/kg		
122-99-6	204-589-7 2-Phenoxy	ethanol	1 - < 5 %	
	dermal: LD50 = > 2000 mg	/kg; oral: ATE 1394 mg/kg		
308062-28-4	931-292-6 Amines, C	12-14 (even numbered)-alkyldimethyl, N-oxides	< 1 %	
	oral: LD50 = 1064 mg/kg	Aquatic Acute 1; H400: M=1		
100-51-6	202-859-9 Benzyl alco	phol	< 1 %	
	inhalation: ATE = 11 mg/l ( 1230 mg/kg	vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); oral: LD50 =		
2634-33-5	220-120-9 1,2-Benzis	othiazol-3(2H)-one	< 0,010 %	
	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 500 mg/kg			
26530-20-1	247-761-7 2-Octyl-2H	-isothiazol-3-one	< 0,0015 %	
	inhalation: ATE 0,27 mg/l Sens. 1A; H317: >= 0,0015 Aquatic Acute 1; H400: M= Aquatic Chronic 1; H410: M	100		

### Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % phosphates, < 5 % amphoteric surfactants, perfumes (Benzyl alcohol, Citral, Limonene), preservation agents (Benzisothiazolinone, Octylisothiazolinone).

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

Remove contaminated, saturated clothing immediately.

#### After inhalation

Provide fresh air.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

# After ingestion

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

according to Regulation (EC) No 1907/2006



# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 4 of 13

#### Suitable extinguishing media

Water spray jet

alcohol resistant foam

Carbon dioxide

Extinguishing powder

## Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products:

Carbon dioxide

Carbon monoxide

## 5.3. Advice for firefighters

Co-ordinate fire-fighting measures to the fire surroundings.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.

Avoid contact with skin, eyes and clothes.

### For non-emergency personnel

Ventilate affected area.

#### For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Do not allow to enter into soil/subsoil.

## 6.3. Methods and material for containment and cleaning up

# For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# For cleaning up

Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Collect in closed and suitable containers for disposal.

Ventilate affected area.

### 6.4. Reference to other sections

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothes.

Do not mix with other chemicals.

Use personal protection equipment.

When using do not eat, drink or smoke.

Use only in well-ventilated areas.

Do not breathe gas/fumes/vapour/spray.

according to Regulation (EC) No 1907/2006



# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 5 of 13

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

# Advice on general occupational hygiene

Take off contaminated clothing.

Wash hands before breaks and after work.

When using do not eat or drink.

#### Further information on handling

No further relevant information available.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed.

#### Hints on joint storage

No special measures are necessary.

#### Further information on storage conditions

No further relevant information available.

## 7.3. Specific end use(s)

Cleaning agent

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Additional advice on limit values

No information available.

### 8.2. Exposure controls





# Appropriate engineering controls

No information available.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye protection/face protection. (EN 166)

#### Hand protection

Wear suitable gloves. (EN 374, Category III)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: NBR (Nitrile rubber) / Thickness of the glove material > 0,1 mm

Diluted ready-to-use solutions <=1%:

Protective gloves may be waived, if equivalent measures allowing for an increased skin stress because of wet work are implemented (e. g. application of suitable skin protecting creams).

## Skin protection

Wear suitable work clothing.

#### Respiratory protection

Use only in well-ventilated areas.

If extensively sprayed or used with high pressure equipment: combination filter A1/P2 (EN 143, EN 14387).

#### Thermal hazards

No further relevant information available.

according to Regulation (EC) No 1907/2006



# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 6 of 13

#### **Environmental exposure controls**

Section 6: Accidental Release Measures

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: colourless - light yellow Odour: Perfumes, fragrances

Test method

Melting point/freezing point: approx. 0 °C
Boiling point or initial boiling point and approx. 100 °C

boiling range:

Flammability: not applicable not determined Lower explosion limits: not determined Upper explosion limits: 54 °C Flash point: Auto-ignition temperature: not determined Decomposition temperature: not applicable pH-Value (at 20 °C): 8.0 - 9.0Viscosity / kinematic: not determined

(at 40 °C)

Water solubility: completely miscible

(at 20 °C)

Solubility in other solvents not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density (at 20 °C):

Relative density:

Relative vapour density:

Relative vapour density:

Particle characteristics:

not applicable

not determined

not determined

not determined

not relevant

## 9.2. Other information

Information with regard to physical hazard classes

Sustaining combustion: Not sustaining combustion

Other safety characteristics

Viscosity / dynamic: < 10 mPa·s (50 1/s)

(at 25 °C)

**Further Information** 

No information available.

#### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

The product is stable under storage at normal ambient temperatures.

according to Regulation (EC) No 1907/2006



# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 7 of 13

## 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## **Acute toxicity**

Based on available data, the classification criteria are not met.

# **ATEmix** calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



according to Regulation (EC) No 1907/2006

# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 8 of 13

CAS No	Chemical name	hemical name						
	Exposure route	Dose		Species	Source	Method		
7320-34-5	Tetrapotassium pyropho	Tetrapotassium pyrophosphate						
	oral	LD50 mg/kg	> 2000	Rat				
	dermal	LD50 mg/kg	> 7940	Rabbit				
64-17-5	Ethanol							
	oral	LD50 mg/kg	6200	Rat	IUCLID			
	inhalation (4 h) vapour	LC50	95,6 mg/l	Rat	RTECS			
97862-59-4	1-Propanaminium, 3-am	ino-N-(carbo	oxymethyl)-N	,N-dimethyl-, N-C8	-18 acyl derivs., inner salt	s		
	oral	LD50 mg/kg	2335	Rat		OECD 401		
	dermal	LD50 mg/kg	> 620	Rat		OECD 402		
122-99-6	2-Phenoxyethanol							
	oral	ATE 1394 mg/kg						
	dermal	LD50 mg/kg	> 2000	Rabbit				
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides							
	oral	LD50 mg/kg	1064	Rat				
100-51-6	Benzyl alcohol							
	oral	LD50 mg/kg	1230	Rat	GESTIS			
	inhalation vapour	ATE	11 mg/l					
	inhalation dust/mist	ATE	1,5 mg/l					
2634-33-5	1,2-Benzisothiazol-3(2H	)-one						
	oral	LD50 mg/kg	500	Rat				
	dermal	LD50 mg/kg	> 2000	Rat				
26530-20-1	2-Octyl-2H-isothiazol-3-one							
	oral	ATE 125	mg/kg					
	dermal	ATE 311 mg/kg						
	inhalation dust/mist	ATE 0,27 mg/l						

# Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

Contains 1,2-Benzisothiazol-3(2H)-one, 2-Octyl-2H-isothiazol-3-one and Benzyl alcohol. May produce an allergic reaction.

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

according to Regulation (EC) No 1907/2006



# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 9 of 13

## STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

## Other information

No information available.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method		
7320-34-5	Tetrapotassium pyrophosphate								
	Acute fish toxicity	LC50 mg/l	> 100	96 h	Oncorhynchus mykiss (Rainbow trout)		OECD 203		
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Desmodesmus subspicatus		OECD 201		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna (Big water flea)		OECD 202		
	Fish toxicity	NOEC	100 mg/l	4 d	Oncorhynchus mykiss (Rainbow trout)		OECD 203		
	Algae toxicity	NOEC mg/l	> 100	3 d	Desmodesmus subspicatus		OECD 201		
	Crustacea toxicity	NOEC	100 mg/l	2 d	Daphnia magna (Big water flea)				
64-17-5	Ethanol	Ethanol							
	Acute crustacea toxicity	EC50 14221 mg/	9268 - I	48 h	Daphnia magna	IUCLID			
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts								
	Acute fish toxicity	LC50	1,11 mg/l	96 h	Pimephales promelas (fathead minnow)		OECD 203		
	Acute algae toxicity	ErC50	2,4 mg/l	72 h	Desmodesmus subspicatus				
	Acute crustacea toxicity	EC50	1,9 mg/l	48 h	Daphnia magna (Big water flea)		OECD 202		
122-99-6	2-Phenoxyethanol								
	Acute fish toxicity	LC50 460 mg/l	220 -	96 h	Leuciscus idus				
	Acute algae toxicity	ErC50 mg/l	> 500	72 h	Scenedesmus sp.				
	Acute crustacea toxicity	EC50 mg/l	> 500	48 h	Daphnia magna				
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides								
	Acute fish toxicity	LC50	2,67 mg/l	96 h					
	Acute crustacea toxicity	EC50	3,1 mg/l	48 h	Daphnia magna (Big water flea)				

# 12.2. Persistence and degradability



according to Regulation (EC) No 1907/2006

Indumaster® Step

**IR16** Revision date: 25.10.2024 Page 10 of 13

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents

(LC) N	10.040/2004 on detergents.				
CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	-			
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts				
	OECD 301 B	> 60 %	28		
	Readily biodegradable (according to OECD criteria).				
308062-28-4	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides				
	OECD 301 B	> 60%	28		
	Readily biodegradable (according to OECD criteria).				

## 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
7320-34-5	Tetrapotassium pyrophosphate	-2
64-17-5	Ethanol	-0,31
97862-59-4	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts	2,0 - 5,1
122-99-6	2-Phenoxyethanol	1,16
100-51-6	Benzyl alcohol	1,05

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
	1-Propanaminium, 3-amino-N- (carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., inner salts	71		

### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation.

Delivery to an approved waste disposal company.

#### List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

### List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

according to Regulation (EC) No 1907/2006



# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 11 of 13

#### Contaminated packaging

Non-contaminated packages may be recycled.

#### **SECTION 14: Transport information**

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No special measures are necessary.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial 4,9 %

emissions:

#### **Additional information**

Regulation (EC) No. 648/2004 [Detergents regulation]

## National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Changes





# Indumaster® Step

**IR16** Revision date: 25.10.2024 Page 12 of 13

This data sheet contains changes from the previous version in section(s): 1,2,7,8,14,15.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Process categories according to ECHA guidance on information requirements and chemical safety assessment, chapter R.12:

PROC 1: Use in closed processes.

PROC 2: Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC 4: Chemical production where opportunity for exposure arises

PROC 7: Industrial spraying

PROC 8 (Transfer): Dilution of concentrated products, application of drain cleaners, dosage of textile washing agents.

PROC 9: Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC 10 (Roller application or brushing): Processing without large-scale spraying.

PROC 11 (Spraying outside industrial settings): Processing with large-scale spraying (e. g. high pressure cleaning, foam gun).

PROC 13: Treatment of articles by dipping and pouring

PROC 19 (Hand-mixing with intimate contact): Hand cleaning and disinfection

#### Relevant H and EUH statements (number and full text)

tomonto (numbor una tun toxt)
Highly flammable liquid and vapour.
Toxic if swallowed.
Harmful if swallowed.
Toxic in contact with skin.
Causes severe skin burns and eye damage.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
Causes serious eye irritation.
Fatal if inhaled.
Harmful if inhaled.
May cause respiratory irritation.
Very toxic to aquatic life.
Very toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.
Corrosive to the respiratory tract.
Contains 1,2-Benzisothiazol-3(2H)-one, 2-Octyl-2H-isothiazol-3-one and Benzyl alcohol.
May produce an allergic reaction.

#### **Further Information**

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]: 9

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product



according to Regulation (EC) No 1907/2006

# Indumaster® Step

Revision date: 25.10.2024 IR16 Page 13 of 13

named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)